# MAXIFY GX6550

# COMPACT SIZE HUGE BUSINESS POTENTIAL

This compact 3-in-1 printer with front-loading ADF is designed to provide excellent productivity even in limited spaces. Experience huge page yields and low running costs thanks to refillable ink tanks.







· Leading from the front

Operate the printer entirely from the front thanks to its front-loading duplex 35-sheet ADF with translucent tray, ideal for confined spaces such as under counters or desks.

## Simple, fast card scanning

Scan ID cards and small documents quickly and easily with a smart design that removes the need to fully open the scanner.

# · Low costs that stay low

Keep printing costs down with huge yields of 14,000 pages from a set of colour ink bottles or 6,000 pages from a black ink bottle. Switch to Economy mode for even greater savings.

# Durable double-sided documents

Print stand-out documents at speeds of 24 ipm in black and 15.5 ipm in colour. Pigment-based inks deliver documents that are marker, friction and water resistant.

## · Compact yet highly capable

Make light work of busy schedules with a 2.7" colour LCD touch screen, 250 sheet cassette and 100 sheet rear feed. Handle diverse media – even print banners up to 1.2m in length.

## Get connected

Enhanced security keeps the printer safe on your network, while Wi-Fi allows cable-free printing from the Canon PRINT app, AirPrint, Mopria and the cloud.

3-in-1











## **PRODUCT RANGE**



MAXIFY GX7050



**MAXIFY GX6550** 



MAXIFY GX6050

MAXIFY GX7050
MAXIFY GX6550
MAXIFY GX6050
MAXIFY GX5050
MAXIFY GX4050
MAXIFY GX3050



# TECHNICAL **SPECIFICATIONS**

# MAXIFY GX6550

GENERAL SPECIFICATIONS

**Functions** PRINTER SPECIFICATIONS

**Print Resolution** Print Margins (min.) Print Technology

Mono Print Speed **Colour Print Speed** First Page Out Time (approx.)

Two Sided Printing

Standard Ink Bottles

CONSUMABLES AND INK YIELDS

Maintenance cartridge Bottle Yield (Plain paper)

PAPER SUPPORT Paper Types

Maximum Paper Input

Paper Sizes

Paper Weight

SCANNER SPECIFICATIONS

Scanner Type Scanner Resolution (Optical) Line Scanning Speed

Scanning Depth (Input / Output) **Maximum Document Size**  Wi-Fi, Ethernet, Print, Copy, Scan & Cloud

Up to 600 x 1200 dpi <sup>[1]</sup>

Top: 3mm, Bottom: 5mm, Left & Right: 3.4mm

1 Print Head

Refillable ink tank printer approx. 24.0 ipm [2] approx. 15.5 ipm <sup>[2]</sup>

Mono: 7 sec (ready / simplex) [2] Colour: 8 sec (ready/simplex) [2] 44, Letter - Plain Paper (Rear Tray, Cassette)

GI-56 BK

GI-56 M

MC-G01 (User Replaceable)

A4 colour documents printing [3] Black: 6,000 pages (Economy mode 9,000 pages) [4] Colour: 14,000 pages (Economy mode 21,000 pages) [5]

Plain Paper,

Red Label Superior 80 g/m² (WOP111), Canon Oce Office Colour Paper 80 g/m² (SAT213)

Photo Paper Pro Luster (LU-101), Photo Paper Plus Glossy II (PP-201) Matte Photo Paper (MP-101),

Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (HR-101N),

Envelope. Greeting Card, Cardstock,

Photo Paper Plus Semi-gloss (SG-201), Magnetic Photo Paper(MG-101) Double sided Matte Paper (MP-101D) Rear Tray: Max. 100 sheets (plain paper) Cassette: Max. 250 sheets (plain paper)

Rear Tray: A4, A5, A6, B5, LTR, LGL, 4"x6" (10 x 15 cm), Redi (10): . 144, A3, A6, B5, Lik, LGL, 4 x6 (10 x 1 5 x7") (13 x 18 cm), 7 x 10" (18 x 25 cm), 8 x 10" (20 x 25 cm), Square 5"x 5"(127mm x 127mm), Envelopes (DL, COM10), Custom size (width: 89 mm - 216 mm, length: 127 mm - 1,200 mm)

Cassette: A4, A5, B5, LTR

[Custom size] width 148 mm - 216 mm, length 210 mm - 297 mm

Rear Tray: Plain Paper: 64 g/m<sup>2</sup> - 105 g/m<sup>2</sup> or supported genuine Canon papers

Canon paper: Max. paper weight Approx. 265 g/m<sup>2</sup> (Photo Paper Plus Glossy II (PP-201)

Cassette: Plain Paper: 64 g/m<sup>2</sup> - 105 g/m<sup>2</sup>

Flatbed (Platen)/D-ADF CIS colour scanner 1,200 x 1,200 dpi [6]

Colour: 1.4 ms/line (300 dpi) [7] Greyscale: 1.4 ms/line (300 dpi) [7] Colour: RGB each 16bit/8bit

Greyscale: 16 bit / 8 bit Platen: A5 (216 x 152.4 mm) D-ADF:A4,Letter,Legal COPIER SPECIFICATIONS

Display

Standard Interface

Mobile Apps (iOS®/ ANDROID™)

Printer Features

Minimum System Requirements

Software Included

Smart Assistant & Automation OS Compatibility

Copy Speed

Copy quality Intensity adjustment Multiple Copy Copy Functions

Copy Zoom

GENERAL Display Languages ESAT/Simplex ADF (colour): Approx. 10.7 ipm  $^{[8]}$  ESAT/Simplex ADF (black): Approx. 21.9 ipm  $^{[8]}$ 3 levels (Economy, Standard, High) 9 levels, Auto intensity (AE copy) 99 copies (max.)

Document Copying, Two-Sided Copy, 2-on-1 and 4-on-1 copy, Collated copy, Frame erase copy (Flatbed only), ID copy

Fit to page A5 to A4, B5 to A4, A4 to A5 and A4 to B5

2.7" / 6.7 cm LCD (Touch, Screen, Colour)

33 Languages Selectable: Japanese, English (mm & inch), French, German, Italian, Spanish, Portuguese, Dutch, Danish, Norwegian, Swedish, Finnish, Greek, Polish, Czech, Russian, Hungarian, Slovene, Turkish, Simplified Chinese, Traditional Chinese, Korean, Indonesian, Slovakian, Estonian, Latvian, Lithuanian, Ukrainian, Romanian, Bulgarian, Croatian, Thai, Vietnamese

USB flash memory (A Port)
Hi-Speed USB (B Port)
Wi-Fi: IEEE802.11 b/g/n/a/acz <sup>[9]</sup>
Wi-Fi Security: WPA-PSK (TKIP/AES), WPA2-PSK
(TKIP/AES), WPA3-SEA (AES), WPA-EAP (AES)\*
WPA2-EAP (AES)\* WPA3-EAP (AES)\*
\*IEEE802.1X (EAP-TLS/EAP-TLIS/PEAP)

Wireless LAN Frequency Band: 2.4GH: Canon PRINT Inkjet/SELPHY app [10] Easy-PhotoPrint Editor app [21] Creative Park app [21]

Easy-PhotoPrint Editor Software [11] PIXMA Cloud Link [11] Canon Print Service Plugin (Android) [12] Apple AirPrint [13] Wireless Direct [14] Mopria (Android) [15] Amazon Alexa<sup>TM</sup> [16]

Windows 11, Windows 10, Windows 8.1, Windows 7 SP1

Operation can only be guaranteed on a PC with

pre-installed Windows 7 or later.
Driver and IJ Printer Assistant Tool only: Windows Server 2008 R2 SP1, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server

Display environment: XGA 1024 x 768 or more

Mac: macOS 10.15.7, macOS 11, macOS 12.

macOS 13

Mobile Operating Systems:  $iOS^{@}$ , iPadOS, Android $^{TM}$  [17]

Windows: 1.5GB or more Note: for bundled software installation. The necessary amount of hard disk space required.

Printer Driver IJ Printer Assistant Tool

Easy-PhotoPrint Editor (download)



# TECHNICAL **SPECIFICATIONS**

PHYSICAL FEATURES

Weight

Dimensions (W x D x H) With the travs retracted: Dimensions (W x D x H) With the trays extended: Acoustic Noise Levels Operating Temperature Operating Humidity Power Source

Off: Approx. 0.1W Standby (USB connection to PC): Approx. 0.9W Standby (all ports connected): Approx. 1.4W Time to enter Standby mode: 5 minutes Copying: Approx. 24W<sup>[19]</sup>

approx. 11.5 kg

Approx. 399 x 410 x 254mm

Approx. 399 x 645 x 327mm

10-90%RH (no dew condensation)

approx. 49.0dB(A) [18]

AC 100-240V, 50/60Hz

up to 45,000 pages/month

5-35°C

\*The wait time for standby cannot be changed (Lot26) 0.15 kWh [20]

# Typical Electricity

#### Footnotes:

Duty Cycle

Power Consumption

- [1] Ink droplets can be placed with a pitch of 1/600 inch at minimum
- [2] A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- [3] Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation with the replacement after initial setup.
- [4] The economy mode reduces the ink consumption by lowering the density, 50% more pages than the
- standard mode can be printed (5) The economy mode reduces the ink consumption by lowering the density, 50% more pages than the
- standard mode can be printed [4] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473
- [7] The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not inclu
- [8] Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time
- $^{[9]}$  Wireless printing requires a working network with wireless 802.11b/g/n/a or ac capability, operating at 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and
- wireless network clients. [10] Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play Compatible with iPad, iPhone 3GS or later, and iPod touch 3rd generation later devices running iOS 7.0 or later, and Android mobile devices running Android 2.3.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/g capability as your printer. Requires a compatible social media account and is subject to that social media accounts Terms of Service. Certain exceptions may apply.
- [11] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data,
- Easy-PhotoPrint Editor export data.

  1/21 Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 - v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.
- [13] AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A print connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
- [14] Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup.
- [15] Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print
- [16] Requires an active smart assistant account linked and accompanying app enabled, the smart device and printer to be actively connected with permission to the Canon Inkjet Cloud Printing Center, and the required action(s), skill(s), or applet(s) available/enabled to the compatible printer. Voice commands can not be displayed as text on Amazon smart devices with screens. Only English, French and German supported.

# MAXIFY GX6550

- [17] Some functions may not be available with these Operating Systems. Please refer to the manual or website for details
- [18] Plain Paper(A4, B/W). Acoustic Noise is measured based on ISO7779 standard.
- [19] Copy: When copying ISO/JIS-SCID N2 (printed by inklet printer) on A4 size plain paper using default
- [20] Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sleep mode, and power-off mode for 5 days, and that it will be either in sleep or power-off mode for the remaining 2 days within the same week. The TEC value of this product is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program
- [21] Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play. Compatible with iOS 12.0 or later/Android OS 5.0 or later operating systems. You must have a Canon ID and a Canon inkiet printer to use this app

#### Standard disclaimers

- All specifications subject to change without notice
- · Print speed may vary depending on system configuration, interface, software, document complexity,
- print mode, page coverage, type of paper used etc.

  Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield
- All brand and product names are trademarks of their respective companies
- · Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries

Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2023



# COMPACT SIZE – HUGE BUSINESS POTENTIAL

# MAXIFY GX6550

This compact 3-in-1 printer with front-loading ADF is designed to provide excellent productivity even in limited spaces. Experience huge page yields and low running costs thanks to refillable ink tanks.

Sales Start Date: August 2023



## PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price		
MAXIFY GX6550	6351C006AA	4549292223644	<please fill="" in="" rrp=""></please>		

## PRODUCT CODES FOR CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
Standard size			
GI-56BK	4412C001	4549292169034	<please fill="" in="" rrp=""></please>
GI-56C	4430C001	4549292169058	<please fill="" in="" rrp=""></please>
GI-56M	4431C001	4549292169072	<please fill="" in="" rrp=""></please>
GI-56Y	4432C001	4549292169096	<please fill="" in="" rrp=""></please>
Maintenance Cartridge			
MC-G01	4628C001AA	4549292173710	<please fill="" in="" rrp=""></please>

## MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
MAXIFY GX6550	6351C006AA	Individual	1	559.0	485.0	360.0	14.7	11.5
		Pallet (Upper)	12	1126.0	978.0	1084.5	178.2	138.0
		Pallet (Bottom)	12	1126.0	978.0	1084.5	178.2	138.0

# What's in the box?

- MAXIFY GX6550
- 4 high-yield ink bottles (1x Black and 1 x C/M/Y)
- Power cord
- Manuals and other documents

